

[100% Pass Ensure PassLeader Share New Real Microsoft 70-482 182q Exam Questions With 100 Percent Passing Ensure (16-30)

100% Valid Dumps For Passing 70-482 Exam: PassLeader are offering the updated and guaranteed 70-482 182q exam dumps for your 70-482 exam, we ensure the 70-482 182q pdf and vce practice test is the latest, and will help you passing 70-482 exam easily. Visit passleader.com and get the free 70-482 182q exam questions with free VCE Player. keywords: 70-482 exam,70-482 exam dumps,70-482 182q exam questions,70-482 pdf dumps,70-482 182q practice test,70-482 vce dumps,Advanced Windows Store App Development using HTML5 and JavaScript Exam

Compare And Choose The Best **PassLeader 70-482 Brain Dumps**

Pass4sure	PL PassLeader	TEST KING
		
Banned By Microsoft Not Available	182 Q&As Price: \$99.99 Coupon Code -- CELEB	50 Q&As Price: \$124.99

QUESTION 16 You need to enable debugging on the Personal Trainer app. Which JavaScript project properties should you set? (Each correct answer presents part of the solution Choose all that apply.) A. Set Allow Local Network Loopback to No. B. Set Debugger Type to Script Only. C. Set Debugger Type to Managed Only. D. Set Debugger to launch to Local Machine. Answer: BD

Case Study - Scenario 2 (QUESTION 17 - QUESTION 32) Background You are developing a Windows Store app by using JavaScript. The app is named Getting Around. The app will use geo-location to provide location-aware assistance to people who are traveling. Users will record audio information about locations. Full and trial versions of the app will be available from the Windows Store. The feature name of the full version will be gettingAround. The trial version will be valid for 30 days.

Business Requirements The Getting Around app must meet the following business requirements:

- Track the user's current location in accordance with the Windows Certification guidelines for devices and sensors.
- Notify the user about upcoming obstacles.
- Ensure that the user can play, pause, and stop audio recordings.
- Ensure that the user can listen to recordings on Digital Living Network Alliance (DLNA)-compatible headphones.

Technical Requirements The Getting Around app must meet the following technical requirements:

- Connect to the Internet.
- Use the device's sensors to detect the user's location.
- Every 15 minutes, poll an obstacles database that is stored in the cloud.
- Send messages about upcoming obstacles to the lock screen of the user's device as soon as an obstacle is detected.
- Enable the user to save the most recently recorded location information on the device by using a DataCompositeValue object.
- Enable retrieval of audio recordings from a cloud server.
- Headphones, when connected, must use the Play To technology. The PlayTo control that is used for streaming is named aplayer and is in the HTML file that is used by the player.js file.

To assist with diagnostics and monitoring, the app must do the following:

- Place an audit log that will track touch events on the user's device.
- Store the audit log in the user's localSettings object.
- Ensure that the audit log can be sent by email to the support desk if the user is having problems.

The app must support the following hardware requirements:

- Windows 8.
- Microphone and speakers.
- Internet connection.
- DLNA-compatible hearing device (optional)

While testing the app, you establish the following:

- The app fails to detect the location on some devices.
- When connectivity is lost, access to the obstacle data is not available.

background.js

```
BG01 function requestLockScreen() {
BG02   var background = new Windows.ApplicationModel.Background;
BG03   background.BackgroundExecutionManager.requestAccessAsync().then(
BG04     function (result) {
BG05     }
BG06     ...
BG07     } errorHandler);
BG08 }
BG09 }
BG10 function registerTask() {
BG11   var builder = new Windows.ApplicationModel.Background.BackgroundTaskBuilder();
BG12   builder.name = "obstacles";
BG13   builder.taskEntryPoint = "obstacles.js";
BG14 }
BG15 builder.setTrigger(trigger);
BG16 ...
BG17 }
```

location.js

```

LO01 var latitude;
LO02 var longitude;
LO03 var location;
LO04
LO05 function trackLocation() {
LO06   location = new Windows.Devices.Geolocation.Geolocator();
LO07   if (location)
LO08     location.addEventListener("positionchanged", positionChanged);
LO09 }
LO10
LO11 function positionChanged(position) {
LO12   latitude = position.position.coordinate.latitude;
LO13   longitude = position.position.coordinate.longitude;
LO14   saveLocation();
LO15 }
LO16
LO17 function getLocation() {
LO18   try {
LO19     Windows.Devices.Geolocation.Geolocator().getGeopositionAsync().done
(function (position) {
LO20       if (position) {
LO21         latitude = position.coordinate.latitude;
LO22         longitude = position.coordinate.longitude;
LO23       }
LO24     }, errorHandler);
LO25   } catch (ex) {
LO26     errorHandler(ex);
LO27   }
LO28 }
LO29
LO30 function stopTracking() {
LO31   if (location)
LO32
LO33 }
LO34
LO35 function saveLocation() {
LO36
LO37 }

```

player.js

```

PL01 function playAudioFile(ndx) {
PL02   try {
PL03     var musicLibrary = Windows.Storage.KnownFolders.musicLibrary;
PL04     musicLibrary.getFilesAsync().then(
PL05       function (resultLibrary) {
PL06         if (resultLibrary.length > 0) {
PL07           document.getElementById("aplayer").src = URL.createObjectURL(resultLibrary
[ndx]);
PL08           document.getElementById("aplayer").play();
PL09         }
PL10       });
PL11   } catch (ex) {
PL12     handleError(ex);
PL13   }
PL14 }
PL15
PL16
PL17 function sourceRequestHandler(e) {
PL18   try {
PL19     var sr = e.sourceRequest;
PL20     var controller;
PL21
PL22     try {
PL23
PL24   } catch (ex) {
PL25     handleError(ex);
PL26   }
PL27
PL28   } catch (ex) {
PL29     handleError(ex);
PL30   }
PL31 }

```

QUESTION 17 You need to retrieve and register a DLNA-compatible device. Which code segment should you insert at line PL16? A. `var player = Windows.Media.Devices.AudioDeviceController ();` B. `var player = Windows.Media.Devices.DLNADeviceController ();` C. `var player = Windows-Media,PlayTo.PlayToManager.getForCurrentView(); player.addEventListner("sourcerequested", sourceRequestHandler, false);` D. `var player = Windows.Media.PlayTo.PlayToManager.showPlayToUI (); player-addEventListener("sourcerequested", sourceRequestHandler, false);` Answer: C

QUESTION 18 You need to handle the location-detection problem. What should you do? A. Insert a try statement immediately after line LO05 and a catch block immediately before line LO09. Handle the exception in the catch block. B. Insert an else

statement immediately before line LO09. In the else statement, display a notification that the device does not support location.
C. At line LO08, change the positionchanged argument to statuschanged. D. At line LO06, change the Geolocator class to locator. Answer: B QUESTION 19 You need to implement the audit log. Which object should you use? A. Windows.Storage.ApplicationData.current.localSettings B. Windows.Storage.ApplicationData.current.roamingFolder C. Windows.Storage.ApplicationData.current.temporaryFolder D. Windows.Storage.ApplclcationData.current.temporarySettings Answer: A QUESTION 20 You need to ensure that the lock screen access configuration meets the requirements. Which code segment should you insert at line BG05? A. if (result == background.BackgroundAccessStatus.allowedWithAlwaysOnRealTimeConnectivity) B. if (result == background.BackgroundAccessStatus.allowedMayUseActiveRealTimeConnectivity) C. if (result != background.backgroundAccessStatus.allowedWithAlwaysOnRealTimeConnectivity) D. if (result != background.backgroundAccessStatus.allowedMayUseActiveRealTimeConnectivity) Answer: A QUESTION 21 You need to implement the database polling. Which code segment should you insert at line BG14? A. var trigger = new Windows.ApplicationModel.Background.TimeTrigger(15, false); B. var trigger = new Windows.ApplicationModel.Background.TimeTrigger(600, false); C. var trigger = new Windows.ApplicationModel.Background.TimeTrigger(900, true); D. var trigger = new Windows.ApplicationModel.Background.TimeTrigger(10, true); Answer: A QUESTION 22 You need to resolve the issue of unavailable obstacle data. What should you do? A. Store the obstacle data in cloud storage. B. Download the obstacles database when the app is installed, and update the database when the app is updated. C. Store the obstacle data in indexDB storage. D. Store the obstacle data in the SessionStorage object. Answer: C

Pass4sure	PL PassLeader	TEST KING
Banned By Microsoft Not Available	182 Q&As Price: \$99.99 Coupon Code -- CELEB	50 Q&As Price: \$124.99

<http://www.passleader.com/70-482.html> QUESTION 23 You need to implement the audit log. Which action should the app perform when the user touches a button? A. Add a row to a database log table. B. Create a custom log file entry. C. Send the event to a remote web service. D. Create a Windows Application Log entry. Answer: B QUESTION 24 You need to turn off tracking. Which code segment should you insert at line L032? A. location.removeEventListener("statuschanged", statusChanged); B. location.removeEventListener.all(); C. location.endTracking(); D. location.removeEventListener("positior.changed", positionChanged); Answer: D QUESTION 25 You need to ensure that the lock screen access configuration meets the requirements. Which code segment should you insert at line BG05? A. if (result == background.3ackgroundAccessStatus.denied) B. if (result == background.backgroundAccessStatus.allowedWithAlwaysOnRealTimeConnectivity) C. if (result == background.backgroundAccessStatus.allowedMayUseActiveRealTimeConnectivity) D. if (result == background.backgroundAccessStatus.unspecified) Answer: B QUESTION 26 You need to specify the media to be streamed to DLNA-compatible devices. Which code segment should you insert at line PL21? A. controller = document.getElementById("aplayer").msPlayToSource; B. controller = document.getElementById("mediaplayer").msPlayToPrimary; C. controller = document.getElementById("aplayer").msGetPointerCapture; D. controller = document.getElementById("mediaplayer").msRealTime; Answer: A QUESTION 27 You need to implement the database polling. Which code segment should you insert at line BG14? A. var trigger = new Windows.ApplicationModel.Background.TimeTrigger(1230, false); B. var trigger = new Windows.ApplicationModel.Background.TimeTrigger(15, false); C. var trigger = new Windows.ApplicationModel.Background.TimeTrigger(900, true); D. var trigger = new Windows.ApplicationModel.Background.TimeTrigger(20, true); Answer: A QUESTION 28 You need to implement the audit log.

What should you do? A. When the user moves the device, create a Windows Event Log entry. B. When the user moves the device, create a custom log file entry. C. When the user touches a button, create a Windows Event Log entry. D. When the user touches a button, create a custom log file entry. Answer: D QUESTION 29 You need to enable the user to save coordinates as specified in the requirements. Which code segment should you insert at line L036?

- A.

```
var coordinates = new Windows.Storage.ApplicationDataCompositeValue();
coordinates["latitude"] = latitude;
coordinates["longitude"] = longitude;
var container =
Windows.Storage.ApplicationData.current.localSettings.createContainer
("locationContainer", Windows.Storage.ApplicationDataCreateDisposition.always);
Windows.Storage.ApplicationData.current.localSettings.containers.lookup
("locationContainer").values["coordinates"] = coordinates;
```
- B.

```
var container =
Windows.Storage.ApplicationData.current.localSettings.createContainer
("locationContainer", Windows.Storage.ApplicationDataCreateDisposition.always);
Windows.Storage.ApplicationData.current.localSettings.containers.lookup
("locationContainer").values["coordinates"] = latitude + longitude;
```
- C.

```
var coordinates = new Windows.Storage.ApplicationDataCompositeValue();
coordinates["latitude"] = latitude;
coordinates["longitude"] = longitude;
var container = localSettings.createContainer ("locationContainer");
container.value = coordinates;
```
- D.

```
var coordinates = new Windows.Storage.ApplicationDataContainer();
coordinates["latitude"] = latitude;
coordinates["longitude"] = longitude;
var container =
Windows.Storage.ApplicationData.current.localSettings.createContainer
("locationContainer", Windows.Storage.ApplicationDataCreateDisposition.always);
Windows.Storage.ApplicationData.current.localSettings.containers.lookup
("locationContainer").values["coordinates"] = coordinates;
```

A. Option A B. Option B C. Option C D. Option D Answer: A QUESTION 30 You need to assign the audio stream to the controller declared at line PL20 according to the requirements. Which code segment should you insert at line PL27? A. sr.stream = controller.stream; B. sr.setSource{controller.stream}; C. sr.setSource(controller); D. sr.setController(controller); Answer: C

Compare And Choose The Best **PassLeader 70-482 Brain Dumps**

 ↓ Banned By Microsoft Not Available	 ↓ Leader of IT Certifications 182 Q&As Price: \$99.99 Coupon Code -- CELEB	 ↓ 50 Q&As Price: \$124.99
--	---	--

<http://www.passleader.com/70-482.html>