

[29/Mar/2019 Updated New PassLeader 451q 300-208 Exam Questions For Free Download

New Updated 300-208 Exam Questions from PassLeader 300-208 PDF dumps! Welcome to download the newest PassLeader 300-208 VCE dumps: <https://www.passleader.com/300-208.html> (451 Q&As) Keywords: 300-208 exam dumps, 300-208 exam questions, 300-208 VCE dumps, 300-208 PDF dumps, 300-208 practice tests, 300-208 study guide, 300-208 braindumps, Implementing Cisco Secure Access Solutions (SISAS) Exam P.S. New 300-208 SISAS dumps PDF:

https://drive.google.com/open?id=0B-ob6L_QjGLpfkFleG9jUGxxS3kwS0VwcllTWmLxdTIBZUd5cnBkaG5DSE5FbU5yOEpYQzQ >> New 300-206 SENSS dumps PDF:

https://drive.google.com/open?id=0B-ob6L_QjGLpflBDRGvtd3JJR2k3ZF9sOTAyOHQ0bW1fdlJsZjFwS2xxZmx1TGVRoEdraTA

>> New 300-209 SIMOS dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpVTNFVTRPdC0zTnM >> New 300-210 SITCS dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpTkN0N2xZSHZKY2s NEW QUESTION 436

When you configure a Cisco WLC, which task must you perform to enable central web authentication? A. Set the Layer 2 ACL option to None. B. Set the NAC State option to SNMP NAC. C. Set the NAC State option to RADIUS NAC. D. Set the NAC State option to None. Answer: C

NEW QUESTION 437 Which guest service requires session services to be enabled on a Cisco ISE node? A. administration service B. monitoring service C. posture service D. profiling service Answer: A

NEW QUESTION 438 What is required to implement Monitor Mode in a wireless network? A. Open authentication must be configured via Cisco WLC CLI. B. Wireless Monitor Mode policy should be enabled within Cisco ISE. C. Monitor mode in a wireless network is not possible. D. Cisco WLC should have this feature enabled inside the security properties for the WLAN. Answer: C

NEW QUESTION 439 You are managing a network environment in which clients that are successfully obtain a new VLAN IP address. Which timer can you use to increase the allowable amount of time for the client to undergo CoA? A. keepalive timer B. remediation timer C. network transaction delay timer D. minimum acceptable hold timer Answer: C

NEW QUESTION 440 Which type of a sensor requires an embedded data collector in the switch to support profiling? A. DHCP sensor B. CDP sensor C. IOS sensor D. LLDP sensor Answer: A

NEW QUESTION 441 Which probe carries the IP address of the endpoint in the Framed-IP-Address attribute of the payload? A. DNS probe B. LLDP probe C. RADIUS probe D. DHCP probe Answer: C

NEW QUESTION 442 On which type of node does the Cisco ISE sponsor portal reside? A. Monitoring node B. Inline Policy node C. Policy Services node D. Administration node Answer: C

NEW QUESTION 443 Which task must you perform on a node before it can host Cisco ISE end-user web portals? A. Configure at least one SSID for guest access. B. Enable Captive Portal Bypass. C. Enable portal-policy services. D. Enable DHCP profiling. Answer: C

NEW QUESTION 444 Which client interface or interfaces are provisioned when the Cisco ISE performs supplicant provisioning? A. wireless and wired interface B. wireless interface C. active interfaces D. wired interface Answer: A

NEW QUESTION 445 When a wireless client enters the noncompliant posture status, how can it restart the posture session? A. It must discount from the SSID for any interval and then reconnect. B. The wireless interface on the client must be disable and re-enabled. C. It must associate to a different SSID. D. It must disconnect from the SSID, wait for the idle timeout period to expire, and then reconnect. Answer: D

NEW QUESTION 446 Drag and Drop Drag and drop each guest user login screen from the left onto the correct description on the right.

allow password change screen	This screen within the guest portal prompts the user for a username and password field.
guest user login screen	This screen enables administrators to provide the end user the rules, regulations, and guidelines for using the network.
acceptable user policy screen	This screen forces the user to change their password.
self-registration screen	This screen gives the user the option to change their password if they choose.
required password change screen	This optional screen allows guests to set up their own accounts. www.passleader.com

Answer:

- guest user login screen
- acceptable user policy screen
- required password change screen
- allow password change screen
- self-registration screen
www.passleader.com

NEW QUESTION 447 Which three options can be pushed from a cisco ISE server as part of a successful 802.1x authentication? (Choose three.) A. reauthentication B. authentication C. authentication D. VLAN E. posture status F. DACL

Answer: ADF NEW QUESTION 448 Which two services does TACACS+ support? (Choose two.) A. SLIP B. ARAP C. S/MINE D. Native AD

E. x-509 Answer: DE NEW QUESTION 449 Which two troubleshooting tools are available within the diagnostics tools menu in cisco ISE? (Choose two.) A. TCP Dump B. Expert Troubleshooter C. Execute Network Device D. AAA Authentication Trouble

E. Policy Validator Answer: AD NEW QUESTION 450 Which action must be taken by a Noncompliant wireless client to get out of quarantine status? A. Disconnect from the WLAN controller and let the idle. B. Adjust policy in BYOD portal. C. Perform a periodic reassessment.

D. Download Posture Update. Answer: A NEW QUESTION 451

Download the newest PassLeader 300-208 dumps from passleader.com now! 100% Pass Guarantee! 300-208 PDF dumps & 300-208 VCE

dumps: <https://www.passleader.com/300-208.html> (451 Q&As) (New Questions Are 100% Available and Wrong Answers

Have Been Corrected! Free VCE simulator!) P.S. New 300-208 SISAS dumps PDF:

https://drive.google.com/open?id=0B-ob6L_QjGLpFkFleG9jUGxxS3kwS0VwclITWmlxdTIBZUd5cnBkaG5DSE5FbU5yOEpYQzQ >> New 300-206 SENSS dumps PDF:

https://drive.google.com/open?id=0B-ob6L_QjGLpflBDRGVtd3JJR2k3ZF9sOTAyOHQ0bW1fdJJsZjFwS2xxZmx1TGVRoEdraTA

>> New 300-209 SIMOS dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpVTNFVTRPdC0zTnM >> New 300-210 SITCS dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpTkn0N2xZSHZKY2s