[15/Aug/2019 Updated 439q 300-175 VCE and PDF Exam Dumps -- Must Download For 100% Passing Exam

New Updated 300-175 Exam Questions from PassLeader 300-175 PDF dumps! Welcome to download the newest PassLeader 300-175 VCE dumps: https://www.passleader.com/300-175.html (439 Q&As) Keywords: 300-175 exam dumps, 300-175 exam questions, 300-175 VCE dumps, 300-175 PDF dumps, 300-175 practice tests, 300-175 study guide, 300-175 braindumps, Implementing Cisco Data Center Unified Computing (DCUCI) Exam P.S. New 300-175 DCUCI dumps PDF: https://drive.google.com/open?id=0B-ob6L QjGLpcTYwUlg5R2o2Tlk >> New 300-160 DCID dumps PDF: https://drive.google.com/open?id=0B-ob6L QjGLpeVktaU1qdFl4WGs >> New 300-170 DCVAI dumps PDF: https://drive.google.com/open?id=0B-ob6L QjGLpNVNCbDRrNUN3NWM >> New 300-165 DCII dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpMVRmUUJZRWU3cU0 >> New 300-180 DCIT dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpNWtfazZEX1o5eWc NEW QUESTION 406 What are traits of a routing protocol used in a data center? (Choose two.) A. proprietary and secure B. fast route convergence C. support for ECMP D. support for LACP E. support for large hop limit Answer: BC NEW QUESTION 407 Which two technologies minimize or eliminate the need for STP in the data center? (Choose two.) A. OTV B. FabricPath C. BPDU D. vPC E. VDC F. MPLS Answer: BD NEW QUESTION 408 Which two FEX topologies trade deterministic bandwidth for server-link stability during FEX uplink failure? (Choose two.) A. port channel B. **#160; ***static pinning C. virtual port channel D. dynamic pinning E. Equal-Cost Multipath F. RPVST Answer: AC NEW QUESTION 409 Which FEX topology ensures deterministic bandwidth at the expense of server-link stability during FEX uplink failure? A. port channel B. static pinning C. virtual port channel D. dynamic pinning E. Equal-Cost Multipath F. RPVST Answer: B NEW QUESTION 410 Your customer has a PCI requirement to protect with a firewall access layer servers that process Visa transactions. Which Cisco Firewall Services Module deployment topology will have the least impact on existing IP addressing? A. Transparent B. One-Arm C. Routed D. Inline E. Clustered Answer: A NEW QUESTION 411 Which Cisco ACE Service Module deployment topology allows direct access to the servers for administration but requires either SNAT or PBR for load-balanced HTTP traffic returning from the server? A. Transparent B. One-Arm C. Routed D. Inline E. Asymmetric Server Normalization Answer: B NEW QUESTION 412 Which two options represent an access layer solution to virtual machine network virtualization that the network team manages just like other devices in the data center? (Choose two.) A. Cisco Nexus 1010 B. VSM C. VEM D. host vPC E. MPIO Answer: AC NEW QUESTION 413 Which two terms relate to the capability of a physical NIC to present virtual NICs to the operating system or hypervisor? (Choose two.) A. VM-FEX B. NPIV C. Adapter-FEX D. NIV E. #160; host vPC F. #160; #160; NIC teaming Answer: CD NEW QUESTION 414 Which term is synonymous with offloading network I/O processing from the hypervisor to a physical switch ASIC? A. VM-FEX B. NPIV C. Adapter-FEX D. NIV E. host vPC F. NIC teaming Answer: A NEW QUESTION 415 Which option configured on Cisco Nexus 7000 Series data center switches ensures the confidentiality of server data beginning at the ingress switch port? A. Host vPC+ B. Linksec C. MACsec D. LACP E. #160; MEW QUESTION 416 From a networking perspective, what is one reason to choose a Cisco UCS C-Series rack-mountable server over a Cisco UCS B-Series blade server? A. A rack-mountable server has more PCIe buses. B. A blade server has fewer network interfaces. C. A rack-mountable server can support more vNICs. D. A blade server uses virtualization to run more applications, which constrains available bandwidth. Answer: A NEW QUESTION 417 Which three facility challenges may a customer encounter while designing a data center? (Choose three.) A. space availability B. power capacity C. cooling capacity D. PCI compliance E. #160; application

performance Answer: ABC NEW QUESTION 418 Which option should be part of network design considerations when proposing a design for Microsoft Exchange 2010 running on Cisco UCS blade servers? A. high-availability during fabric failover B. proper placement of server role C. over committing CPU resources D. additional virtual machine scalability Answer: A NEW QUESTION 419 On which two operating systems is Cisco UCS Manager supported? (Choose two.) A. Microsoft Windows XP B. Red Hat Enterprise Linux 5.0 or higher C. OS X D. VMware vSphere 4.0 E. VMware vSphere 5.0 Answer: AB NEW QUESTION 420 Which three features are part of Cisco DCNM for SAN Advanced Edition? (Choose three.) A. federation and VSAN scoping B. VM-aware discovery and path analysis C. fabric performance monitoring three features are included in Cisco Prime NAM for Cisco Nexus 1010 Virtual Services Appliance? (Choose three.) A. packet capture B. packet decode C. filter and error scan D. configure virtual machine E. configure Cisco UCS Manager Answer: ABC NEW QUESTION 422 Which feature of Cisco Prime NAM for Cisco Nexus 1010 Virtual Services Appliance provides multifaceted insight into network behavior? A. packet debug B. troubleshoot performance C. traffic analysis D. API management Answer: C NEW QUESTION 423 A flow exporter contains network layer and transport layer details for the NetFlow export packet. Which three options must be configured in a flow exporter? (Choose three.) A. export destination IP address B. source interface C. UDP port number D. TCP port number E. NAT port number Answer: ABC NEW QUESTION 424 What represents the number of bits in an IPv6 address? A. 32-bit dotted hex B. 48-bit dotted hex C. 64-bit dotted hex D. #160; #160; 128-bit dotted hex E. #160; #160; 160-bit dotted hex Answer: D NEW QUESTION 425 Which technology has the benefit of significant reduction in cabling at the access layer? A. FCoE B. DCBX C. #160; FIP D. #160; distributed FCF E. 802.1Qbb Answer: A NEW QUESTION 426 Which NHRP features active and standby virtual gateways? A. GLBP B. VRRP C. VRRP C. HSRP D. SSO E. MSF Answer: A NEW OUESTION 427 What technology is necessary to support vPC+? A. MPLS B. OTV C. Fabric Path D. : : : wCenter E. : : : RPVST F. : : MST Answer: C NEW QUESTION 428 Which option can be used to provide a nonproprietary method of load balancing and redundancy between the access and aggregation layers in the data center? A. PAgP port channel B. LACP C. vPC D. vPC+ E. host vPC Answer: B NEW QUESTION 429 Your customer has a requirement to load balance traffic to rich media servers connected to the data center access layer. Which Cisco ACE Service Module deployment topology will yield the highest potential bandwidth to subscribers? A. Transparent B. One-Arm C. Routed D. Inline E. E.#160; Asymmetric Server Normalization Answer: E NEW QUESTION 430 What represents a feature to secure OSPF routing exchanges? A. OSPF peer authentication B. OSPF route authentication C. OSPF process authentication D. OSPF database exchange authentication Answer: A NEW QUESTION 431 Which business requirement typically drives the data center design? A. data center location B. support for heterogeneous compute environments C. a collapsed core and distribution layer D. choice of a hypervisor Answer: B NEW QUESTION 432 Which technology provides the least amount of input to the data center solution requirements? A. cloud compute B. *#160; *** C. *** E. *** C. *** E. *** desktop D. network Answer: A NEW QUESTION 433 Which option is an example of the network services that are provided at the aggregation layer of the data center network? A. OTV B. MPLS C. LISP D. #160; ACE Answer: D NEW QUESTION 434 Which web browser does Cisco UCS Manager support? A. Microsoft Internet Explorer 6.0 or higher B. Safari C. Google Chrome 21.xx or higher D. Safari 5.0 E. Mozilla Firefox 3.x or lower Answer: A NEW QUESTION 435 Which two match fields does Cisco NX-OS use as the defaults when you create a flow record? (Choose two.) A. match interface input

B. match interface output C. export destination IP address D. at 160;